

H3C switch configuration description: Because of the use of the port learning function, it is necessary to set the number of MAC learning of the port to 0 after ...

In H3C network devices, a combo port (optical-copper multiplexing port) is a multifunctional interface that integrates two physical media: optical fiber and copper cable. The combo enable copper and combo ...

Deploy secure 10G aggregation with H3C LSWM4SP8PM 8-port SFP+ MACSec module for S12500 core switches. Optimize data center and campus uplinks.

H3C S7500X switch series is the first of its kinds in the industry to support wire speed performance for high density 10G/40G/100G line cards and can meet the existing and future application requirements ...

Pretty simple, you just plug the optical transceiver into the switch port for that transceiver type. Of course, this assumes you're using the correct transceivers and fiber between the devices ...

The S10500X-G series includes several different chassis models, S10506X-G, S10508X-G and S10512X-G, with different port density and performance to fit different network scales.

Build a high-bandwidth, converged, intelligent, and trusted optical network platform. Support smooth evolution capability for the future. In recent years, the IoT has developed rapidly. For the ...

Deploy secure 10G aggregation with H3C LSWM4SP8PM 8-port SFP+ MACSec ...

The following uses the Moduletek QSFP-40G-LR4 module connected to an H3C S6820 switch as an example to introduce how to read information of the connected optical module on an ...

H3C switch configuration description: Because of the use of the port learning function, it is necessary to set the number of MAC learning of the port to 0 after static binding of MAC, so that other PCs can not ...

Web: <https://www.busydoniemiecwaldii.pl>