

Nordic Solutions Fiber Optic Hybrid Cable ADSS

ADSS fiber optic cable is a full-media self-contained fiber optic cable, all cable no metal, and can be connected to the transmission pole tower through pre-stranded gold, self-supporting overhead.

AFL-ADSS (All-Dielectric Self-Supporting) cable is ideal for installation in distribution as well as transmission environments, even when live-line installations are required.

Get everything you need for successful ADSS cable installation: suspension clamps, anchor clamps, down lead clamps, and pole fittings. Proven performance in power and telecom ...

Designed specifically for deployment alongside power lines and utility poles, ADSS eliminates the need for metallic components and external support structures, making it a go-to choice ...

Fiber counts available for 12-432 fibers. Gel-Free Buffer tubes available with up to 216 fibers. Span lengths available from 100-2500 feet (or meters). Please contact AFL for span lengths outside this ...

ADSS Cables are designed with high strength aramid yarns that are distributed evenly over the core and provide high tensile strength in self-supporting applications. The cables are light in weight and used ...

GL Technology Co., Ltd. is a manufacturer of power fiber optic cable, aluminum clad steel for electric power and other fiber optic cable in China.

All-dielectric self-supporting (ADSS) cable is a type of optical fiber cable that is strong enough to support itself between structures without using conductive metal elements.

Applications Polyethylene or track resistant outer jacket Torque-balanced aramid yarns Quote Request Information Optical Information Reel Information AFL provides ADSS cable on several standard sizes of non-returnable wooden reels. Non-standard reel sizes are available upon request. See more on afl-delivery.stylelabs.cloud.

`.b_wikiRichcard_noHeroSection{content-visibility:auto;contain-intrinsic-size:1px 218px}#b_results .b_wikiRichcard p{display:inline}.b_wikiRichcard .b_promoteText{font-weight:bold}.b_wikiRichcard .tab-head{margin-bottom:var(--smtc-gap-between-content-x-small)}#b_results>li .b_wikiRichcard .wikiRichcard_heroSection{padding-bottom:var(--smtc-gap-between-content-small)}#b_results>li .b_wikiRichcard .wikiRichcard_heroSection p{color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}#b_results>li .b_wikiRichcard .tab-content p,#b_results>li .b_wikiRichcard .tab-content a{color:var(--smtc-ctrl-rating-icon-foreground-filled)}#b_results>li .b_wikiRichcard .tab-container`

Nordic Solutions Fiber Optic Hybrid Cable ADSS

```

a{border-bottom:1px dashed var(--smtc-stroke-ctrl-on-neutral-rest)}#b_results>li .b_wikiRichcard
a.b_mopexpref{border-bottom:0}#b_results>li .b_wikiRichcard
line>a: hover{background-color:transparent;text-decoration:none}#b_results>li .b_wikiRichcard
a[href*="wikipedia "],#b_results>li .b_wikiRichcard a[href*="wikipedia "]:hover,#b_results .b_wikiRichcard
.wiki_attr a,#b_results .b_wikiRichcard .wiki_attr a: hover{border-bottom:0}#b_results>li .b_wikiRichcard
a[href*="wikipedia "]:hover,#b_results .b_wikiRichcard .wiki_attr
a: hover{text-decoration:underline;background-color:var(--smtc-background-card-on-primary-default-rest)}#b
_results>li .b_wikiRichcard_noHeroSection .b_wikiRichcard
p{color:var(--bing-smtc-foreground-content-neutral-secondary-alt);display:-webkit-box;-webkit-line-clamp:5;
-webkit-box-orient:vertical;overflow:hidden;padding-bottom:0}.b_wikiRichcard_noHeroSection .b_imagePair
.b_wikiRichcard_image{float:right;margin-top:var(--smtc-padding-ctrl-text-side)}.b_wikiRichcard_noHeroSe
ction .b_wikiRichcard
.b_clearfix.b_overflow{line-height:var(--mai-smtc-padding-card-default)}.b_wikiRichcard_noHeroSection
.b_imagePair .b_wikiRichcard_image_caption{margin-right:110px}.b_wikiRichcard_noHeroSection
.b_imagePair .sml{display:none}#b_results li.b_algoBigWiki: hover h2
a{text-decoration:underline}.b_wikiRichcard_noHeroSection .b_floatR_img{padding:0 0
var(--smtc-gap-between-content-x-small)
var(--smtc-gap-between-content-x-small)}.b_wikiRichcard_noHeroSection{margin-top:var(--smtc-gap-betwe
en-content-x-small);margin-bottom:var(--smtc-gap-between-content-xx-small);box-sizing:border-box}#b_con
tent #b_results .b_algo .b_wikiRichcard .tab-head .tab-menu
li.tab-active{box-shadow:none;background:var(--bing-smtc-background-ctrl-subtle-rest);border-radius:var(--
mai-smtc-corner-list-card-default);color:var(--bing-smtc-foreground-content-brand-rest)}#b_content
#b_results .b_algo .b_wikiRichcard: not(:has(.tab-navr)) .tab-head .tab-menu
li: hover{background:var(--smtc-background-ctrl-neutral-hover);color:var(--bing-smtc-foreground-content-bra
nd-rest);border-radius:var(--mai-smtc-corner-list-card-default)}.b_wikiRichcard .tab-head .tab-menu
ul{gap:var(--smtc-gap-between-content-small)}#b_results .tab-menu li: hover{box-shadow:none}#b_content
#b_results .b_wikiRichcard .tab-active: focus-visible{outline:0}#b_results .b_wikiRichcard
.tab-menu,#b_results .b_wikiRichcard .tab-menu li,#b_results .b_wikiRichcard .tab-menu
ul{height:auto;line-height:var(--AC_LineHeight)}#b_results .b_wikiRichcard
.tab-head{display:flex;justify-content:center;align-items:center}#b_results .b_wikiRichcard
.tab-head: has(tab-navr){width:fit-content}#b_results .b_wikiRichcard .tab-head
li{padding-top:var(--smtc-gap-between-content-x-small);padding-bottom:var(--smtc-gap-between-content-x-s
mall)}#b_results .b_wikiRichcard .tab-container{padding-bottom:0}.b_wikiRichcard_noHeroSection
span{color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}#b_results .b_wikiRichcard,#b_results
.b_wikiRichcard span{font:var(--bing-smtc-text-global-body3)}#b_content #b_results .b_algo
.b_wikiRichcard .tab-head .tab-menu li
.tab-active{color:var(--smtc-foreground-content-neutral-primary)}#b_content #b_results .b_algo
.b_wikiRichcard .tab-head .tab-menu
li: not(.tab-active){color:var(--bing-smtc-foreground-content-neutral-tertiary)}#b_content #b_results .b_algo
.b_wikiRichcard: not(:has(.tab-navr)) .tab-head .tab-menu

```

Nordic Solutions Fiber Optic Hybrid Cable ADSS

```

li:not(.tab-active):hover{color:var(--bing-smtc-foreground-content-brand-rest)}.b_wikiRichcard
.b_vList>li{padding-bottom:var(--smtc-gap-between-content-xx-small)}#b_results>li .b_wikiRichcard
a{color:var(--smtc-ctrl-link-foreground-brand-rest)}.pvc_title_with_frows{padding-bottom:10px}.paratitle
.actionmenu{float:right;margin-top:-26px}.paratitle .actionmenu::after{float:none}.b_paractl,#b_results
.b_paractl{line-height:1.5em;padding-bottom:10px}#tabcontrol_13_589D6F .tab-head { height: 40px; }
#tabcontrol_13_589D6F .tab-menu { height: 40px; } #tabcontrol_13_589D6F_menu { height: 40px; }
#tabcontrol_13_589D6F_menu>li { background-color: #ffffff; margin-right: 0px; height: 40px;
line-height:40px; font-weight: 700; color: #767676; } #tabcontrol_13_589D6F_menu>li:hover { color: #111;
position:relative; } #tabcontrol_13_589D6F_menu .tab-active { box-shadow: inset 0 -3px 0 0 #111;
background-color: #ffffff; line-height: 40px; color: #111; } #tabcontrol_13_589D6F_menu .tab-active:hover {
color: #111; } #tabcontrol_13_589D6F_navr, #tabcontrol_13_589D6F_navl { height: 40px; width: 32px;
background-color: #ffffff; } #tabcontrol_13_589D6F_navr .sv_ch, #tabcontrol_13_589D6F_navl .sv_ch { fill:
#444; } #tabcontrol_13_589D6F_navr:hover .sv_ch, #tabcontrol_13_589D6F_navl:hover .sv_ch { fill: #111; }
#tabcontrol_13_589D6F_navr.tab-disable .sv_ch, #tabcontrol_13_589D6F_navl.tab-disable .sv_ch { fill:
#444; opacity:.2; }WikipediaAll-dielectric self-supporting cable - WikipediaOverviewConstruction
detailsAccessories and installationApplication issuesAll-dielectric self-supporting (ADSS) cable is a type of
optical fiber cable that is strong enough to support itself between structures without using conductive metal
elements. It is used by electrical utility companies as a communications medium, installed along existing
overhead transmission lines and often sharing the same support structures as the electrical conductors. ADSS
is an alternative to OPGW and OPAC with lower installation cost. The cables are designed to be s...

```

The ADSS cable shall be attached to the pulling rope using a double swivel eye and woven wire grip. The double swivel eye insures the ADSS cable will not see an induced torque as the pulling line ...

Web: <https://www.busydoniemiecwaldii.pl>