

This is the shared package to simulate, with MATLAB, pulse propagation in a waveguide (e.g. a solid-core fiber) with GMMNLSE/MM-UPPE.

We introduce an open-source fiber laser and amplifier design toolbox written in Matlab. A graphical user interface provides access to analysis functions for both core- and cladding-pumped, ...

Stimulated Raman scattering in a multimode fiber, simulated with numerical beam propagation. Mode-dependent Raman gain can be investigated.

USING SPECTRAL METHODSExamining Committee Members:Date:ACKNOWLEDGMENTS2.2 Fiber Raman LaserNUMERICAL FORMULATIONP + P &#161; ; (3.5)3.2 Alternative Forms3.4 Weak and Strong Forms3.4.1 Strong Form (SF)3.5 Quasi-Linearization - Newton Method3.6.4 Preconditioning4.3 Simulation Results for FRL&#167; s dz5.1 Major Contributions5.2 Suggestions for Future ResearchA21B21 A22B21A) = A)vec IB.1 The Proposed Algorithmsubmitted by HAL\_ IL BERBERO GLU in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Physics Department, Middle East Technical University by, Prof. Dr. Canan Ozgen &#196; Dean, Graduate School of Natural and Applied Sciences Prof. Dr. Sinan Bilikmen Head of Department, Physics Assoc. Prof. Dr. Serhat C&#187; ak3r Superviso...See more on etd.lib.metu .tr.b\_imgcap\_alttitle p strong,.b\_imgcap\_alttitle .b\_factrow strong{color:#767676}#b\_results .b\_imgcap\_alttitle{line-height:22px}.b\_imgcap\_alttitle{display:flex;flex-direction:row-reverse;gap:var(--main-mtc-padding-card-nested-default)}.b\_imgcap\_alttitle .b\_imgcap\_img{flex-shrink:0;display:flex;flex-direction:column}.b\_imgcap\_alttitle .b\_imgcap\_main{min-width:0;flex:1}.b\_imgcap\_alttitle .b\_imgcap\_img>div,.b\_imgcap\_alttitle .b\_imgcap\_img a{display:flex}.b\_imgcap\_alttitle .b\_imgcap\_img img{border-radius:var(--main-smtc-corner-card-default)}.b\_hList img{display:block}.b\_imagePair ner img{display:block;border-radius:6px}.b\_algo .vttv2 img{border-radius:0}.b\_hList .cico{margin-bottom:10px}.b\_title .b\_imagePair> ner,.b\_vList>li>.b\_imagePair> ner,.b\_hList .b\_imagePair> ner,.b\_vPanel>div>.b\_imagePair> ner,.b\_gridList .b\_imagePair> ner,.b\_caption .b\_imagePair> ner,.b\_imagePair> ner>.b\_footnote,.b\_poleContent .b\_imagePair> ner{padding-bottom:0}.b\_imagePair> ner{padding-bottom:10px;float:left}.b\_imagePair.reverse> ner{float:right}.b\_imagePair .b\_imagePair:last-child:after{clear:none}.b\_algo .b\_title .b\_imagePair{display:block}.b\_imagePair.b\_cTxtWithImg>\*>{vertical-align:middle;display:inline-block}.b\_imagePair.b\_cTxtWithImg> ner{float:none;padding-right:10px}.b\_imagePair.square\_s> ner{width:50px}.b\_imagePair.square\_s{padding-left:60px}.b\_imagePair.square\_s> ner{margin:2px 0 0 -60px}.b\_imagePair.square\_s.reverse{padding-left:0;padding-right:60px}.b\_imagePair.square\_s.reverse> ner{margin:2px -60px 0 0}.b\_ci\_image\_overlay:hover{cursor:pointer} sightsOverlay,#OverlayIFrame.b\_mcOverlay

Overlay { position:fixed;top:5%;left:5%;bottom:5%;right:5%;width:90%;height:90%;border:0;border-radius:15px;margin:0;padding:0;overflow:hidden;z-index:9;display:none } #OverlayMask, #OverlayMask.b\_mcOverlay { z-index:8;background-color:#000;opacity:.6;position:fixed;top:0;left:0;width:100%;height:100% } p>.news\_dt { color:#767676 } readthedocs.io Introduction to PyFiberAmp -- pyfiberamp 0.1.0 ... The script calculates and plots the power evolution in the amplifier and the amplified spontaneous emission (ASE) spectra. The co-propagating pump is absorbed in ...

**Purpose** The aim of the paper is to demonstrate a fast numerical solution for Raman fiber amplifier equations using proposed guess functions and MATLAB intrinsic properties.

2.1 Fiber Raman Amplifiers can be distributed or discrete (lumped). Distributed Raman amplifiers (DRA) possess channel interaction over the 10's of kilometers of the transmission fiber.

The script calculates and plots the power evolution in the amplifier and the amplified spontaneous emission (ASE) spectra. The co-propagating pump is absorbed in the first ~1.2 m of the fiber while ...

erbium-doped fiber amplifiers (EDFAs) using MATLAB is covered in this study. The simulation was created to represent saturation and noise effects as well as gain characteristics that are occasionally ...

This toolbox provides steady-state analysis of both erbium-doped and ytterbium-doped fiber lasers and amplifiers, allowing good design choices to be made for experiment.

OptiAmplifier contains a MATLAB component that enables the user to incorporate new components or models into the software. OptiAmplifier is an optical amplifier and laser design software, developed to ...

Simulation of Raman gain by solving the coupled differential equations, governing evolutions of signal and pump in Raman amplifier. This source code calls the matlab built-in program ode45 to solve the ...

# Raman fiber amplifier MATLAB simulation